

ELSEVIER

Molecular Cell Research

Vol. 1310, 1996



Cumulative Contents _____

Regular section		Stimulation of prostagrandin E_2 synthesis by inter- leukin-1 β is amplified by interferons but inhib- ited by interleukin-4 in human amnion-derived	
Information for Contributors	vii	WISH cells L. Harding, Z. Wang and HH. Tai (USA) Retrovirus budding may constitute a port of entry for	48
Rapid reports		drug carriers C. Ropert, Z. Mishal, Jr., J.M. Rodrigues, C. Malvy and P. Couvreur (France)	53
Polymorphonuclear leukocyte lysosomal proteases, cathepsins B and D affect the fibrinolytic system in human umbilical vein endothelial cells		Mastoparan elicits prostaglandin E ₂ generation and inhibits inositol phosphate accumulation via different mechanisms in rabbit astrocytes	33
Y. Kimura and K. Yokoi-Hayashi (Japan) Lipopolysaccharide decreases oxygen consumption by Mono Mac 6 cells; an electron paramagnetic	1	N. Nakahata, K. Imata, T. Okawa, Y. Watanabe, H. Ishimoto, T. Ono, Y. Ohizumi and H. Nakan- ishi (Japan)	60
resonance oximetry study R.E. Glover, B. Mile, C.C. Rowlands and S.K.		Nuclear localization of a complex of fibroblast growth factor(FGF)-1 and an NH2-terminal frag-	
Jackson (UK)	5	ment of FGF receptor isoforms R4 and R1 α in human liver cells	
Regular papers		S. Feng, J. Xu, F. Wang, M. Kan and W.L. McKeehan (USA) 15 N-NMR study of ammonium assimilation in Aga-	67
IRS-I Expression on the luteinized rat ovary: IGF-I and cyclic AMP effects on IRS-I tyrosine phosphorylation		ricus bisporus J.J.P. Baars, H.J.M. Op den Camp, C. Van der Drift, J.J.M. Joordens, S.S. Wijmenga, L.J.L.D.	
F. Talavera, Z. Chen and K.M.J. Menon (USA) Effect of K ⁺ -induced depolarization on carbachol- stimulated inositol tetrakisphosphate accumulation in rat cerebrocortical slices	10	 Van Griensven and G.D. Vogels (The Netherlands) Characterisation and antiproliferative activity of an α-type murine interferon from embryonic fibro- 	74
M.E. Myles and J.N. Fain (USA) Isolation of pepsin-resistant laminin fragments from human placenta: effect on epithelial cells cultured from the kidneys of patients with autosomal dominant polycystic kidney disease (ADPKD)	19	blasts D. Beare, M. Learmonth, V. Wells, A. Aitken and L. Mallucci (UK) Heparin-steroid conjugates lacking glucocorticoid or mineralocorticoid activities inhibit the prolifera-	81
M.J. Slade, I. Pócsi, R.B. Kirby, J.K. Jones, S.E. Ganz, S.A. Taylor and R.G. Price (United Kingdom)	25	tion of vascular endothelial cells E.J. Derbyshire, YC. Yang, S. Li, G.A. Comin, J. Belloir and P.E. Thorpe (USA)	86
Serine isotopomer analysis by ¹³ C-NMR defines glycine-serine interconversion in situ in the renal proximal tubule G.J. Cowin, D.A. Willgoss, J. Bartley and Z.H.		The osteoblastic MC3T3-E1 cells synthesized C- terminal propeptide of type I collagen, which promoted cell-attachment of osteoblasts M. Mizuno, T. Kitafima, M. Tomita and Y. Kuboki	
Endre (Australia) Modulation of glycine-serine interconversion by TCA and glycolytic intermediates in normoxic and hypoxic proximal tubules	32	(Japan) Effects of peroxovanadate and vanadate on insulin binding, degradation and sensitivity in rat adipocytes	97
G.J. Cowin, D.A. Willgoss and Z.H. Endre (Australia)	41	ZW. Yu, B.I. Posner, U. Smith and J.W. Eriksson (Sweden, Canada)	103

In vivo processing of the precursor of the major exoglucanase by KEX2 endoprotease in the Saccharomyces cerevisiae secretory pathway R.D. Basco, R. Cueva, E. Andaluz and G. Larriba (Spain) Effects of N¹-guanyl-1,7-diaminoheptane, an inhibitor of deoxyhypusine synthase, on the growth	110	Desensitization and internalization of adenosine A ₁ receptors in rat brain by in vivo treatment with R-PIA: involvement of coated vesicles A. Ruiz, J.M. Sanz, G. González-Calero, M. Fernández, A. Andrés, A. Cubero and M. Ros (Spain) Regular section	168
of tumorigenic cell lines in culture XP. Shi, KC. Yin, J. Ahern, L.J. Davis, A.M. Stern and L. Waxman (USA)	119	Regular papers	
Subsection		Tumor necrosis factor- α induces the 85-kDa cytosolic phospholipase A_2 gene expression in human bronchial epithelial cells	
Short sequence-paper		T. Wu, T. Ikezono, C.W. Angus and J.H. Shelhamer (USA) Cell adhesion to substratum and activation of tyro-	175
Molecular cloning and sequencing of a cDNA encoding a β-thyroid hormone receptor in muscovy duckling		sine kinases are essentially required for G1/S phase transition in BALB/c 3T3 fibroblasts T. Kuzumaki, A. Matsuda, K. Ito and K. Ishikawa	105
J. Lachuer, C. Legras, C. Ronfort, S. Barges, F. Cohen-Adad, L. Quivet, C. Duchamp, G. Verdier and H. Barré (France)	127	(Japan) Synergistic and selective stimulation of gelatinase B production in macrophages by lipopolysaccharide, trans-retinoic acid and CGP 41251, a protein	185
Regular papers		kinase C regulator M. Houde, P. Tremblay, S. Masure, G. Opden- akker, D. Oth and R. Mandeville (Canada, Bel-	
βγ-Transducin stimulates hydrolysis and synthesis of phosphatidylinositol 4,5-bisphosphate in bovine rod outer segment membranes I.V. Grigorjev, A.I. Grits, I.D. Artamonov, L.A. Baranova and I.D. Volotovski (Belarus, Russian)		gium) Cell-specific regulation of the stably expressed serotonin 5-HT _{1A} receptor and altered ganglioside synthesis J.K. Singh, Q. Yan, G. Dawson and P. Banerjee	193
Federation) Relationship between $TGF\alpha$ -induced DNA synthesis	131	(USA) Suppression of Ca ²⁺ oscillations in glucagon-pro-	201
and prostaglandin synthesis in human HaCaT keratinocytes B. Hanke, G. Fürstenberger and F. Marks		ducing α_2 -cells by insulin/glucose and amino acids A. Berts, A. Ball, E. Gylfe and B. Hellman	
(Germany) Membrane potential and cytosolic free calcium levels modulate acetylcholine-induced inositol phosphate production in insulin-secreting BTC3 cells	137	(Sweden) Hormonal modulation of c-fos expression in isolated hepatocytes. Effects of angiotensin II and phorbol myristate acetate on transcription and mRNA	212
 J. Gromada and S. Dissing (Denmark) Protein kinase C inhibits the CAK-CDK2 cyclin-dependent kinase cascade and G1/S cell cycle 	145	degradation C. González-Espinosa and J.A. García-Sáinz (Mexico)	217
progression in human diploid fibroblasts K. Hamada, N. Takuwa, W. Zhou, M. Kumada and Y. Takuwa (Japan)	149	Analysis of the T-cell activation signaling pathway mediated by tyrosine kinases, protein kinase C,	217
Involvement of protein kinase C in the modulation of 1α,25-dihydroxy-vitamin D ₃ -induced ⁴⁵ Ca ²⁺ uptake in rat and chick cultured myoblasts	149	and Ras protein, which is modulated by intra- cellular cyclic AMP T. Ohtsuka, Y. Kaziro and T. Satoh (Japan)	223
G. Vazquez and A. Russo de Boland (Argentina) Regulation of heparin-binding EGF-like growth factor expression by phorbol ester in a human hep-	157	Subsection	
atoma-derived cell line N. Ito, S. Higashiyama, S. Kawata, S. Tamura, S.		Review Apyrases (ATP diphosphohydrolases, EC 3.6.1.5):	
Kiso, H. Tsushima, T. Nakagawa, Y. Matsuzawa and N. Taniguchi (Japan)	163	function and relationship to ATPases M. Komoszyński and A. Wojtczak (Poland)	233

Regular paper		Distribution and subcellular localization of a growth inhibitory factor in hamster liver and its intra-	
Collisions and encounters in simulations of receptor/GTP-binding protein interactions via simple diffusion		cellular partner(s) C. Hashimoto, M. Ayaki, K. Tanaka, R. Yamamoto, H. Fukuda, H. Funai, A. Wada and Y.	
D. Stickle and R. Barber (USA)	242	Inui (Japan)	309
Regular section		Opposite regulation of IGF-I and IGF-I receptor mRNA and concomitant changes of GH receptor and IGF-II/M6P receptor mRNA in human IM-9	
Hydrogen peroxide and superoxide modulate leuko- cyte adhesion molecule expression and leukocyte endothelial adhesion		lymphoblasts Y. Yang, A. Hoeflich, O. Butenandt and W. Kiess (Germany, People's Republic of China)	317
A. Fraticelli, C.V. Serrano Jr., B.S. Bochner, M.C. Capogrossi and J.L. Zweier (USA)	251	Glucagon induces Ca ²⁺ -dependent increase of reduced pyridine nucleotides in mouse pancreatic <i>B</i> -cells	
Site of action of proteinases in the activation of steroidogenesis in rat adrenal gland <i>P.G. Mele, L.A. Dada, C. Paz, C.B. Cymeryng,</i>		LP. He and H. Kitasato (Japan)	325
M.F.C. Maciel, M.I. Neuman, C.V. Finkielstein,		Subsection	
C.F. Mendez and E.J. Podestá (Argentina)	260		
Astrocytes synthesize and secrete prostaglandin D synthetase in vitro S. Giacomelli, MG. Leone, J. Grima, B. Silvestrini and C.Y. Cheng (USA, Italy)	269	Neutralizing antibodies to nucleoside diphosphate kinase inhibit the enzyme in vitro and in vivo: evidence for two distinct mechanisms of activa- tion of atrial currents by ATPyS	
Metal binding and ferritin immunoreactivity in a	20)	X.B. Yi, N.M. Sweitzer and A.S. Otero (USA)	334
high molecular weight fraction from rat brain		KN-62, a calcium/calmodulin-dependent protein ki-	334
S. San-Marina and D.M.E. Nicholls (Canada) Recovery from acute challenge with noradrenaline, vasopressin and angiotensin II in isolated rat hepatocytes	277	nase II inhibitor, inhibits high potassium-stimu- lated prolactin secretion and intracellular calcium increases in anterior pituitary cells Z.J. Cui, H. Hidaka and P.S. Dannies (USA,	
S.R. Aggarwal and T.N. Palmer (Australia)	284	Japan)	343
Effect of lipid peroxidation on transferrin-free iron uptake by rabbit reticulocytes Z.M. Qian, P.L. Tang and E.H. Morgan (Hong Kong, Australia)	293	Testosterone inhibits the basal and gonadotropin-re- leasing hormone-stimulated synthesis and release of newly synthesized α - and lutropin (LH) β -sub- unit but not release of stored LH in cultured rat	
A point mutation within each of two ATP-binding motifs inactivates the functions of elongation fac-		pituitary cells A.B. Starzec, Y. Lerrant, A. Bérault and R. Cou-	
tor 3		nis (France, Tahiti)	348
H. Yang, K. Hamada, H. Terashima, M. Izuta, E. Yamaguchi-Sihta, O. Kondoh, H. Satoh, M. Miyazaki, M. Arisawa, C. Miyamoto and K. Ki-		Cumulative Contents, Vol. 1310	355
tada (Japan)	303	Author Index	358